

Home Oxygen Safety

Patient Information

Respiratory Service



The Patient Information Leaflets page on the Trust website is available on the link: https://www.wwl.nhs.uk/patient-information-leaflets or scan the QR code.

Author ID: Home Oxygen Service

Leaflet ref: CM 269

Version: 2

Leaflet title: Home Oxygen Safety

Last review: March 2022 Expiry Date: March 2024



Home Oxygen Safety

Patient Name	
NHS No	

Why do I need Home Oxygen?

Oxygen is usually prescribed if you have been found to have low levels of oxygen in your blood. If your blood oxygen levels remain very low, over time it can cause your blood to thicken. This can put strain on your heart as it pushes the thickened blood around your body and can increase the risk of blood clot-related problems, such as a Stroke or Heart Attack.

Using oxygen for 16 hours a day or more can prevent this thickening and reduce the risk of a blood clot.

You may still be prescribed portable oxygen if your blood levels only drop when you are exerting yourself (and oxygen is found to improve your activity levels). This will only be prescribed by an oxygen specialist after an exercise test when your condition is stable.

It is important to remember that oxygen is not an effective way to help with breathlessness and the reason for using it is to prevent problems with your blood, not your breathing.

Oxygen is a prescribed medication and is only given if it is clinically needed AND that it is used safely. Oxygen may well be stopped (and removed) if your condition improves or there are any safety concerns identified.

Please inform the supplier of your home insurance that you now have oxygen in your home; this should not cost you more money.

Please read the important safety information inside this leaflet alongside the oxygen suppliers' handbook that you will get on delivery of your oxygen.

Home Oxygen Safety Page 2 of 6

DO'S

 Use your oxygen as you have been advised to following your assessment. Do not alter your flow rate. Do not allow children or anyone unfamiliar with the equipment to tamper with it.

Why? Patients can feel worse if they have **MORE** than the prescribed rate. More is not necessarily better. If you feel drowsy, muddled or if you are experiencing a lot of headaches, please contact us. Tampering with the equipment can cause damage.

 You must switch your oxygen off when you are not using it, even for short periods of time.

Why? Surrounding materials, including your clothing, will become 'soaked' in oxygen if left running on furniture and will ignite if in contact with a heat source or spark.

Ensure your cylinder is kept upright and is not banged or knocked over.

Why? If your cylinder falls over, either the cylinder or the valve and flow regulator (at the top of the cylinder) may be damaged, causing problems with your flow rate and the potential for leak, possibly leading to a fire.

Do use your oxygen in a well-ventilated room.

Why? There is less risk of the air becoming too oxygen rich and therefore less risk of a fire.

- Do keep the oxygen mask clean, by wiping with a damp cloth
- Do attend all of your oxygen assessment appointments.

Why? Oxygen will only be prescribed as long as it is safe to do so. Without a regular review and updated oxygen assessment, it may not be safe to continue the oxygen prescription and will therefore be removed.

DON'TS

- Do not smoke or allow anyone else to smoke in the same room as the oxygen. This includes the use of 'Electronic' Cigarettes
- Do not light candles or oil burners whilst using your oxygen

- Do not cook whilst using your oxygen, or sit near heat source in the kitchen (this includes microwave ovens)
- Do not store your oxygen in a warm place and do not sit close to the fire when using your oxygen (or run tubing close to your fire).

Why? Naked flames & other heat sources **WILL** cause oxygen to ignite. You risk severe burns or an explosion if you smoke whilst using oxygen. Always turn oxygen off when cooking.

Do not let others use your oxygen.

Why? Oxygen is a prescribed drug to be used only by the person it has been prescribed for. Also, to do so increases risk of infection.

 Do not allow the plastic oxygen tubing or the cylinder to come into contact with any source of heat. If you have long oxygen tubing, please make sure it doesn't get tangled; check your tubing for signs of damage. Keep the tubing tidy.

Why? The tubing may melt, causing the oxygen to leak out, you will not get the correct amount and the risk of fire will be increased. Keeping the tubing tidy prevents trips and slips.

 Do not use any oil or paraffin based creams/ointments (such as Vaseline or E45 cream) on your nose, face or hands.

Why? Oxygen can react with these creams/ointments to cause skin irritation. Also they are flammable and will increase your risk of harm in the event of a fire. Consult your pharmacist for further advice.

Symptoms of Too Much Oxygen

It is very difficult to know whether you are getting enough oxygen as it is not necessarily related to breathlessness. The correct flow rate of oxygen will be decided by the Home Oxygen Assessment Team or Doctor.

It is possible to get too much oxygen either if you have altered your flow rate or if you have (or starting with) a chest infection. If you suffer any of the following (when on oxygen) please contact the Home Oxygen Service or your GP straight away:

- Feeling drowsy, sleepy, or muddled
- Develop a headache (especially in the mornings)
- Confusion or hallucinations.

What Happens Next?

You will have been asked to sign a special consent form that allows the person prescribing your oxygen to share you details with the Fire Service and the Oxygen Supplier. You will also be asked to sign a Safety Declaration Form to confirm that you understand the issues of fire safety when using oxygen.

The oxygen Supplier for the North West is a company called Air Liquide. They will contact you to ask a few questions about your oxygen and arrange the delivery and installation. They will teach you and/or your carers how to use the oxygen equipment and make sure it is all set up and ready to use.

You will also receive a visit from the Community Fire Service to offer you a Home Safety Check in addition to follow up care from the team that has prescribed your oxygen.

If you have any problems with your oxygen equipment then contact Air Liquide on their helpline number 0808 143 9992 (24 hrs a day). Alternatively if you need to speak to your clinical team use the following number (or your out of hours GP if they are closed).

Clinical Contact Details

Team: Wrightington, Wigan & Leigh Oxygen Service

Phone: 01942 482230

Local Pharmacy - Your local pharmacies offer a wide range of services including information and general advice on symptom relief medicines as well as a prescription collection and delivery service.

Comments, Compliments or Complaints

The Patient Relations/Patient Advice and Liaison Service (PALS) Department provides confidential on the spot advice, information and support to patients, relatives, friends, and carers.

Contact Us

Tel: 01942 822376 (Monday to Friday 9am until 4pm)

The Patient Relations/PALS Manager
Wrightington, Wigan and Leigh Teaching Hospitals NHS Foundation Trust
Royal Albert Edward Infirmary
Wigan Lane
Wigan
WN1 2NN

Ask 3 Questions

Become more involved in decisions about your healthcare. You may be asked to make choices about your treatment. To begin with, try to make sure you get the answers to three key questions:

- 1. What are my options?
- 2. What are the positives and negatives of each option for me?
- 3. How do I get support to help me make a decision that is right for me?



How We Use Your Information

For details on how we collect, use, and store the information we hold about you, please see patient information leaflet, Ref. **Corp 006** How we use your information, this can be found on the Patient Information Leaflets page on the Trust website, see details on the front cover.

This leaflet is also available in audio, large print, Braille, and other languages upon request. For more information, please ask in the department/ward.

© Wrightington, Wigan and Leigh Teaching Hospitals NHS Foundation Trust. All rights reserved. Not to be reproduced in whole or in part without the permission of the copyright owner.

Call 111 first when it's less urgent than 999.



Phone: 0808 802 1212

Text: 81212

www.veteransgateway.org.uk

