

# Having an Angiogram

## Patient Information

Cardiac Catheter Laboratory (CCL)



The Patient Information Leaflets page on the Trust website is available on the link:  
<https://www.wwl.nhs.uk/patient-information-leaflets> or scan the QR code.

Author ID: CW/JS  
Leaflet ref: Card 005  
Version: 9  
Leaflet title: Having an Angiogram  
Last review: February 2023  
Expiry Date: February 2025

## Cardiac Catheterisation

Cardiac catheterisation is an X-ray test, which will provide vital information about the condition inside your heart, and how well the pumping chambers and valves are working. Most importantly, it can show if there is any narrowing in the coronary arteries. This diagnostic test will be used to plan the best treatment for you: medical treatment, bypass surgery, or angioplasty.

Cardiac catheterisation is a routine, safe procedure but, like all surgical procedures, it is associated with a small risk of complications, and it is therefore necessary that you are fully informed of this. You may get a bruise at the puncture site. In rare cases damage to the artery can occur that requires repair. Heart rhythm disturbances are also possible. Extremely rare complications could include DVT or even a heart attack or stroke leading to death.

### Before your angiogram

- You will be welcomed onto the unit by a nurse who will check your details are correct; the nurse will also record your observations.
- A gown and disposable underwear will be provided for the procedure.
- One of the doctors will see you and explain the procedure to you and ask you to sign a consent form.
- When it is time for your procedure, a member of the team will escort you to the Catheter Laboratory.
- You will be in the Catheter Laboratory for approximately 1 hour, then return to recovery for a period of 2-3 hours.
- If the procedure is from your right groin, please shave this the night before.
- Patients who take Warfarin, Sinthrome or a direct oral anticoagulant such as Rivaroxaban (Xarelto), Edoxaban (Lixiana), Apixaban (Elequis) or Dabigatran (Pradaxa) need to follow specific instructions given at the pre-admission clinic. **DO NOT STOP TAKING ANY OF THESE MEDICATIONS UNLESS YOU HAVE BEEN GIVEN INSTRUCTIONS TO DO SO.** If you are in any doubt, contact the Cardiac Catheter Laboratory on 01942 773392.
- **If you are a Diabetic on Metformin** – please **do not** take it on the day of your procedure. You will be advised when to restart it by the doctor or nurse after the procedure.
- **If you are on insulin**, please take as normal.

**PLEASE ARRANGE YOUR TRANSPORT TO AND FROM THE HOSPITAL PRIOR TO THE DAY OF YOUR TEST.**

## Your Angiogram

You will be lying down for this test and awake throughout this procedure and asked to lie flat and keep as still as possible. Initially, several ECG electrodes will be attached to your chest to record your heart rhythm. Depending on the Cardiologist, he/she will use the right groin, right arm, or right wrist as the approach route to your heart. This area will be cleaned with some iodine- this will feel cold.

You will be covered with a sterile drape, and the procedure will be carried out under local anaesthetic, which is used to freeze the skin. After a few minutes, the area will be numb, and the test can be started. The Doctor introduces a fine flexible tube into the blood vessel; this should not be painful, but you may feel some pressure. A fine catheter will be passed through the tube and dye will be injected to outline the coronary arteries, to assess the severity of any narrowing and to assess the pumping action of the heart.

On the assessment of the heart's pumping action, you will feel warm as the dye is injected; some patients feel as if they have wet themselves; this is only a feeling and will pass quickly.

If the tube has been introduced from your right groin, it may be possible at the end of the procedure to seal the opening in your artery by a special device called an angio-seal. Alternatively, you will be taken to the recovery area, where the tube in the circulation will be removed. Pressure will be applied to stop any bleeding that may occur and to seal off the opening of the artery by natural means, which is by formation of a clot.

## After your Angiogram

Once returned to recovery your observations will be recorded and catheter site will be checked regularly. The Doctor who carried out your angiogram will come and see you on the ward and discuss the results with you. Arrangements will be made for you to see the Consultant in Clinic, or you may be referred for a balloon angioplasty/stent or heart surgery. You will be allowed home with your escort once the doctor has seen you.

## Patient Transport contact numbers

**Wigan patients:** 01942 482990

**Out of area patients:** 0800 092 4020

**Please ring the Cardiac Catheter Lab or Cardiology Department to confirm you have booked your transport if required.**

**Please ensure you book transport 1 day before your procedure and before 3pm to ensure you transport is booked.**

**If there are any issues with booking transport, please contact:**

Cardiac Catheter Lab telephone **01942 773392** or **01942 773394**

or

Cardiology Department telephone **01942 822445** or **01942 822845**.

## At Home

**You must have somebody at home with you on the first night of your procedure.**

**This is in case you need any help in the night or you have any problems.**

- For the 48 hours following the procedure, we advise you to rest. **Do not** do anything strenuous i.e. Lifting or hoovering.
- **Do not** have a bath or shower on the evening of your angiogram - leave it to the following day.
- You may eat as normal.
- If you are taking Warfarin or a direct oral anti-coagulant, you may re-start that evening unless the Doctor/Nurse tells you otherwise.
- If you take Metformin, do not take it until two days after the procedure unless otherwise instructed.
- Do not drive for 48 hours after your angiogram.

You may get some slight bruising around the puncture site; this is acceptable as long as it is not swollen or painful. If there is any bleeding from the puncture site, you need to apply pressure to the area and telephone immediately for an ambulance, which will take you to the nearest casualty department. The same applies if you get a large swelling or a lot of pain at the puncture site.

Please use this space to write notes or reminders.

---

## Comments, Compliments or Complaints

The Patient Relations/Patient Advice and Liaison Service (PALS) Department provides confidential on the spot advice, information and support to patients, relatives, friends, and carers.

## Contact Us

Tel: 01942 822376 (Monday to Friday 9am until 4pm)

The Patient Relations/PALS Manager  
Wrightington, Wigan and Leigh Teaching Hospitals NHS Foundation Trust  
Royal Albert Edward Infirmary  
Wigan Lane  
Wigan  
WN1 2NN

---

## Ask 3 Questions

Become more involved in decisions about your healthcare. You may be asked to make choices about your treatment. To begin with, try to make sure you get the answers to three key questions:

1. What are my options?
2. What are the positives and negatives of each option for me?
3. How do I get support to help me make a decision that is right for me?



---

## How We Use Your Information

For details on how we collect, use, and store the information we hold about you, please see patient information leaflet, Ref. **Corp 006** How we use your information, this can be found on the Patient Information Leaflets page on the Trust website, see details on the front cover.

---

This leaflet is also available in audio, large print, Braille, and other languages upon request. For more information, please ask in the department/ward.

---

© Wrightington, Wigan and Leigh Teaching Hospitals NHS Foundation Trust.  
All rights reserved. Not to be reproduced in whole or in part without the permission of the copyright owner.

**Call 111 first when it's less urgent than 999.**



EMPLOYER RECOGNITION SCHEME

GOLD AWARD 2021

*Proudly serving those who serve.*

Phone: 0808 802 1212

Text: 81212

[www.veteransgateway.org.uk](http://www.veteransgateway.org.uk)

