

# Steroids and your blood sugars

## Patient Information

Diabetes Services



The Patient Information Leaflets page on the Trust website is available on the link:  
<https://www.wwl.nhs.uk/patient-information-leaflets> or scan the QR code.

Author ID: AO  
Leaflet ref: DB 001  
Version: 3  
Leaflet title: Steroids and your blood sugars  
Last review: July 2022  
Expiry date: July 2024



## Introduction

We have written this leaflet to explain about some of the effects of taking steroid medicines. Steroids can cause blood sugar (glucose) levels to rise. People with known diabetes may find it harder to control. Also some people who did not have diabetes before may develop diabetes after taking steroids (this is called secondary diabetes and it often resolves after the steroids are stopped).

## What are Steroids

Steroid medications are powerful drugs used to treat many conditions such as asthma, cancer, chronic lung disease, arthritis, many skin conditions and some types of blood disorders or eye conditions. Steroids work mainly by reducing inflammation. Types of steroid medications include prednisolone, hydrocortisone and dexamethasone.

## Why does blood sugar rise?

Blood sugar levels rise during steroid treatment because your liver produces more glucose than normal and your body is not able to produce enough insulin to cope with this increase. Insulin is a substance produced by the pancreas and regulates blood sugar levels. Steroids can also cause your body to become resistant to either insulin produced by your own body or insulin you may be injecting to control your diabetes.

## What will happen when I take steroids?

Your blood sugar may go up within half a day or so after starting steroid medication. This usually occurs in the afternoon and evening if you take your steroids first thing in the morning.

If you take steroids more than once a day, then your blood sugar may rise throughout the day. The bigger the dose of steroids, the more likely that it will affect your blood sugar.

## For patients who do not have diabetes prior to commencing steroids

You will be taught how to test your own blood sugar level on a blood sugar meter.

- Test your blood sugar every day before your evening meal.
- If below 11mmol/L on 3 consecutive tests, then you can stop testing.
- If above 11mmol/L, please increase your testing to 4 times per day. Test before each meal and before bed.
- If these results are above 11mmol/L but less than 20mmol/L, in the same day, please ring the Diabetes Specialist Nurse (DSN).
- If the results are above 20mmol/L, please ring the DSN or if not available, seek emergency medical advice (see over).

## For patients who have diabetes prior to commencing steroids

If you do not already test your blood sugar levels, you will be provided with a blood sugar meter.

- Test your blood sugar level 4 times a day. Test before each meal and before bed.
- If these results are above 11mmol/L but less than 20mmol/L in the same day, please ring the Diabetes Specialist Nurse (DSN).
- If the results are above 20mmol/L, please ring the DSN or if not available, seek emergency medical advice (see over).

## Contact Telephone Numbers

### For Wigan Diabetes Nurses

Wigan Diabetes Centre 01942 822188

Monday to Friday 9am until 5pm.

### For Leigh Diabetes Nurses Leigh Diabetes Department 01942 264109

Monday to Friday 9am until 5pm.

### For Emergency Medical Advice

If your blood sugar is above 20mmol/L and you are unwell and/or vomiting, attend your local Accident and Emergency Department immediately.

If your blood sugar is above 20mmol/L and you feel well, please ring your GP/out of hours service.

---

## Comments, Compliments or Complaints

The Patient Relations/Patient Advice and Liaison Service (PALS) Department provides confidential on the spot advice, information and support to patients, relatives, friends, and carers.

## Contact Us

Tel: 01942 822376 (Monday to Friday 9am until 4pm)

The Patient Relations/PALS Manager  
Wrightington, Wigan and Leigh Teaching Hospitals NHS Foundation Trust  
Royal Albert Edward Infirmary  
Wigan Lane  
Wigan  
WN1 2NN

---

## Ask 3 Questions

Become more involved in decisions about your healthcare. You may be asked to make choices about your treatment. To begin with, try to make sure you get the answers to three key questions:

1. What are my options?
2. What are the positives and negatives of each option for me?
3. How do I get support to help me make a decision that is right for me?



---

## How We Use Your Information

For details on how we collect, use, and store the information we hold about you, please see patient information leaflet, Ref. **Corp 006** How we use your information, this can be found on the Patient Information Leaflets page on the Trust website, see details on the front cover.

This leaflet is also available in audio, large print, Braille, and other languages upon request. For more information, please ask in the department/ward.

---

© Wrightington, Wigan and Leigh Teaching Hospitals NHS Foundation Trust.  
All rights reserved. Not to be reproduced in whole or in part without the permission of the copyright owner.

**Call 111 first when it's less urgent than 999.**



EMPLOYER RECOGNITION SCHEME

GOLD AWARD 2021

*Proudly serving those who serve.*

Phone: 0808 802 1212

Text: 81212

[www.veteransgateway.org.uk](http://www.veteransgateway.org.uk)

