

# Botulinum Toxin Injections for Eye Conditions

## Patient Information

Ophthalmology Department

Author ID: AF  
Leaflet Ref: Opth 015  
Version: 3  
Leaflet title: Botulinum Toxin Injections for eye conditions  
Last review: May 2023  
Expiry Date: May 2025



## What is Blepharospasm?

Blepharospasm is a condition that affects the blinking mechanism of your eyes. Patients with this condition often experience involuntary tightening of the muscles that control the eyelid, causing uncontrollable blinking which generally affects both eyes. Blepharospasm can diminish a patient's ability to perform everyday activities by interfering with their ability to see and can severely affect quality of life.

## What are the symptoms of Blepharospasm?

- Eye irritation
- Sensitivity to light
- Excessive blinking/twitching of the eye.

These signs may vary in severity at different times of the day or from day to day. You may find your condition may worsen with stress and tiredness.

## Hemifacial Spasm

In this condition muscles on one side of the face twitch or flicker. The spasms often start around the eye and may spread to other muscles around the mouth or even down into the neck.

## What are the symptoms of Hemifacial spasm?

- Dry eyes or watering eyes
- Light sensitivity
- Increased blinking
- Frequent eye/face twitching
- Discomfort to the face.

For some people, the spasms may become worse when they are tired and stressed.

## **What causes Blepharospasm and Hemifacial spasm?**

The cause of Blepharospasm is not fully understood. In most patients there is no obvious cause and hence the condition is known as idiopathic Blepharospasm.

## **Botulinum Toxin Injections**

Botulinum toxin injections, such as Botulinum toxin A or Dysport, are medical treatments that have been used by doctors for the treatment of many muscle problems. The injections help to relax muscles and are therefore used for blepharospasm and hemifacial spasm to relax the muscles around the eyes. This reduces the involuntary closure of the eyes and helps patients to keep their eyes open when they want.

## **What do Botulinum toxin injections involve?**

Small amounts of botulinum toxin are injected into the muscles around the eye and into the eyelids for the eye/ eyes to be treated.

The injections needed, can vary in number, depending on the type and severity of the condition. The whole procedure can take up to two minutes to five minutes. The injections may be a little painful however; most people tolerate the discomfort well. The practitioner will advise you if any bruising has occurred instantly as it can be difficult to avoid in some patients.

## **What are the effects of the Botulinum toxin?**

It takes about three to five days before the injections take effect, and up to two weeks for the full effect to be seen. You should then notice a reduction in the amount of spasm you have.

The effects of the Botulinum toxin generally last for three months and then can start to wear off. If the effect of the injections is to be maintained, repeated injections are needed. Usually these are repeated every three months.

## **Are there any side effects?**

The side effects of Botulinum toxin treatment around the eyes relate to it working too well, or with regard to it leaking into other muscles round the eyes and causing them to become weakened.

All the side effects are temporary and will wear off as the Botulinum toxin wears off; consequently, they should resolve within three months.

Side effects include:

- Poor Lid Closure of the eye or reduction in the blink reflex can result if the Botulinum toxin has worked too well and can result in dry eye with discomfort and blurry vision. Adding some lubricating drops can help during this time.
- A droopy upper lid, if the muscle holding up the eyelid is involved.
- Double vision, if the muscles moving the eye are involved.
- In addition, you may get some bruising at the injection sites.

Very rarely, patients can develop resistance to the treatment, rendering it less effective.

Side effects usually disappear within a few days or weeks. Although rare, you should seek **immediate** medical advice if you develop any problems with swallowing, speaking or breathing (with or without swelling of the face, lips or tongue, redness of the skin or a lumpy rash) after botulinum toxin treatment.

## **Arriving at the Department**

At your first visit all aspects of the treatment will be fully discussed between yourself and the practitioner and once you are satisfied with these discussions a consent form will need to be completed and you will receive a copy. If at any point during the discussion or once treatment is started you are uncomfortable or concerned, you can choose to stop the treatment.

If you are concerned about any side effects or your treatment plan, please call the Ophthalmology Unit on **01942 822244**.

Please use this space to write notes or reminders.

---

## Comments, Compliments or Complaints

The Patient Relations/Patient Advice and Liaison Service (PALS) Department provides confidential on the spot advice, information and support to patients, relatives, friends and carers.

## Contact Us

Tel: 01942 822376 (Monday to Friday 9am to 4pm)

The Patient Relations/PALS Manager  
Wrightington, Wigan and Leigh Teaching Hospitals NHS  
Foundation Trust  
Royal Albert Edward Infirmary  
Wigan Lane  
Wigan WN1 2NN

---

## Ask 3 Questions

Become more involved in decisions about your healthcare. You may be asked to make choices about your treatment. To begin with, try to make sure you get the answers to three key questions:



1. What are my options?
2. What are the pros and cons of each option for me?
3. How do I get support to help me make a decision that is right for me?

## How We Use Your Information

For details on how we collect, use and store the information we hold about you, please take a look at our “how we use your information” leaflet which can be found on the Trust website: <https://www.wwl.nhs.uk>

---

This leaflet is also available in audio, large print, Braille and other languages upon request.

For more information please ask in the department/ward.

---

© Wrightington, Wigan and Leigh Teaching Hospitals NHS Foundation Trust  
All rights reserved. Not to be reproduced in whole or in part without the permission of the copyright owner.

**Call 111 first when it's less urgent than 999.**



EMPLOYER RECOGNITION SCHEME

SILVER AWARD

Proudly supporting those who serve.

Phone: 0808 802 1212

Text: 81212

[www.veteransgateway.org.uk](http://www.veteransgateway.org.uk)

