

Discharge Advice following Cardiac Angiography (Femoral)

Patient Information

Cardiac Catheter Laboratory



The Patient Information Leaflets page on the Trust website is available on the link:
<https://www.wwl.nhs.uk/patient-information-leaflets> or scan the QR code.

Author ID: CW
Leaflet ref: CCL 002
Version: 8
Leaflet title: Discharge Advice following Cardiac Angiography (Femoral)
Last review: August 2024
Expiry date: August 2026

Discharge Advice following Cardiac Angiography

- You should be accompanied home and have a friend/relative to stay with you over night.
- If severe bleeding occurs at the puncture site, lie down, and apply firm pressure. Ask your friend/relative to ring 999 and return immediately to your nearest Accident & Emergency Department.
- If you experience fever, bleeding, persistent tenderness or swelling in the groin, redness and or warm to touch, numbness or pain, discharge, or rash you must go immediately to your nearest A&E department.
- Modify activities for 48 hours– no straining, lifting greater than 5kg.
- If coughing, sneezing, or straining occurs during the first 12 hours, be advised to place your hand firmly over the puncture site to support it.
- It is advisable to drink plenty of fluids, especially water over the next few days; this will assist with flushing the dye out of your body.
- It is advisable to refrain from the consumption of alcohol for 24 hours.
- Do not have a bath or shower until the following day and take extra care when washing and drying the puncture site. A dressing should be left in place for 24 hours.
- Refrain from driving for at least 48 hours following your angiogram and 7 days following an angioplasty.
- Sometimes bruising of the groin, leg or abdomen may occur and a small lump may be present for several weeks. If you feel pain or the lump enlarges, see your GP.
- If you take Metformin **do not** take for 48 hours following your angiogram.
- If you take Warfarin, Apixaban, Dabigatran, Edoxaban or Rivaroxaban you may restart it on the evening following your angiogram unless the Doctor has instructed otherwise.

Please contact the Cardiac Catheter Lab on 01942 773392 if you have questions.

Please use this space to write notes or reminders.

Comments, Compliments or Complaints

The Patient Relations/Patient Advice and Liaison Service (PALS) Department provides confidential on the spot advice, information and support to patients, relatives, friends, and carers.

Contact Us

Tel: 01942 822376 (Monday to Friday 9am until 4pm)

The Patient Relations/PALS Manager
Wrightington, Wigan and Leigh Teaching Hospitals NHS Foundation Trust
Royal Albert Edward Infirmary
Wigan Lane
Wigan
WN1 2NN

Ask 3 Questions

Become more involved in decisions about your healthcare. You may be asked to make choices about your treatment. To begin with, try to make sure you get the answers to three key questions:

1. What are my options?
2. What are the positives and negatives of each option for me?
3. How do I get support to help me make a decision that is right for me?



How We Use Your Information

For details on how we collect, use, and store the information we hold about you, please see patient information leaflet, Ref. **Corp 006** How we use your information, this can be found on the Patient Information Leaflets page on the Trust website, see details on the front cover.

This leaflet is also available in audio, large print, Braille, and other languages upon request. For more information, please ask in the department/ward.

© Wrightington, Wigan and Leigh Teaching Hospitals NHS Foundation Trust.
All rights reserved. Not to be reproduced in whole or in part without the permission of the copyright owner.

Call 111 first when it's less urgent than 999.



EMPLOYER RECOGNITION SCHEME

GOLD AWARD 2021

Proudly serving those who serve.

Phone: 0808 802 1212

Text: 81212

www.veteransgateway.org.uk

