

Contraceptive Advice for Patients who have received Sugammadex

Patient Information

Anaesthetics Department



The Patient Information Leaflets page on the Trust website is available on the link: https://www.wwl.nhs.uk/patient-information-leaflets or scan the QR code.

Author ID: ME / NP Leaflet Ref: Ana 007

Version: 1

Leaflet title: Contraceptive advice for patients who have received Sugammadex

Date Produced: September 2024 Expiry Date: September 2026









Introduction.

As part of the general anaesthetic you have received, you have been administered a drug to relax your muscles.

Before you were woken up, we administered another drug (reversal drug) to reverse this effect. You have been given a reversal drug today called Sugammadex.

Sugammadex temporarily increases your likelihood of becoming pregnant after unprotected sexual intercourse in certain situations.

What should you do if you are using an oral hormonal contraceptive tablet/pill?

Types of oral hormonal contraceptive you may be using:

- Progesterone only contraceptive 'Mini Pill'
- · Combined oral contraceptive 'Pill'

The effect of Sugammadex means that even if you took your pill this morning, it is the equivalent to **one missed pill**.

Advice:

You must follow the missed pill advice in the package leaflet of the oral contraceptive.

What should you do if you are using any other type of hormonal contraceptive?

Other types of hormonal contraceptive you may be using:

- Contraceptive implant eg: Etonogestrel (Nexplanon®)
- Hormonal Intra-Uterine System (IUS) eg: Levonorgestrel (Mirena®), Jaydess®, Levosert®, Kyleena®
- The contraceptive injection eg: Medroxyprogesterone (Depo-Provera), SAYANA® PRESS, Noristerat®
- The contraceptive patch (EVRA 203)

Advice:

You must use a barrier method of contraceptive e.g., condoms for the next seven days.

What should you do if you are using any non-hormonal contraceptive?

Types of non-hormonal contraceptive you may be using:

- Condoms
- Cervical caps
- Diaphragm
- Contraceptive sponge
- Copper IUD
- Spermicide

Advice:

No further action is required. Sugammadex only reduces the effectiveness of hormone-based contraceptives.

Frequently asked questions

Will other drugs given to me as part of the anaesthetic affect my hormonal contraceptive?

No, this interaction is not known to occur with other anaesthetic-related drugs.

Where can I get more information?

For further contraceptive advice please contact your GP or local sexual health and contraceptive services.

Wrightington, Wigan & Leigh NHS Trust cannot accept responsibility for information provided by other organisations.

Acknowledgement

This leaflet was developed based on the original leaflet designed by Dr Neha N Passi, ST4 Anaesthetic Registrar, Whipps Cross Hospital.

Comments, Compliments or Complaints

The Patient Relations/Patient Advice and Liaison Service (PALS) Department provides confidential on the spot advice, information and support to patients, relatives, friends, and carers.


Contact Us

Tel: 01942 822376 (Monday to Friday 9am until 4pm)

The Patient Relations/PALS Manager
Wrightington, Wigan and Leigh Teaching Hospitals NHS Foundation Trust
Royal Albert Edward Infirmary
Wigan Lane
Wigan
WN1 2NN

Ask 3 Questions

Become more involved in decisions about your healthcare. You may be asked to make choices about your treatment. To begin with, try to make sure you get the answers to three key questions:



- 2. What are the positives and negatives of each option for me?
- 3. How do I get support to help me make a decision that is right for me?



How We Use Your Information

For details on how we collect, use, and store the information we hold about you, please see patient information leaflet, Ref. **Corp 006** How we use your information, this can be found on the Patient Information Leaflets page on the Trust website, see details on the front cover.

This leaflet is also available in audio, large print, Braille, and other languages upon request. For more information, please ask in the department/ward.

© Wrightington, Wigan and Leigh Teaching Hospitals NHS Foundation Trust. All rights reserved. Not to be reproduced in whole or in part without the permission of the copyright owner.

Call 111 first when it's less urgent than 999.



Phone: 0808 802 1212

Text: 81212

www.veteransgateway.org.uk

