

Thickened Fluids (Level 1-Slightly Thick)

Patient Information

Speech & Language Therapy Services

Thickened Fluids (Level 1-Slightly Thick)	✓
Thickened Fluids (Level 2-Mildly Thick)	✗
Thickened Fluids (Level 3-Moderately Thick)	✗
Thickened Fluids (Level 4-Extremely Thick)	✗



The Patient Information Leaflets page on the Trust website is available on the link:
<https://www.wwl.nhs.uk/patient-information-leaflets> or scan the QR code.

Author ID: RD
Leaflet ref: SL 014
Version: 1
Leaflet title: Thickened Fluids (Level 1-Slightly Thick)
Date Produced: June 2022
Expiry date: June 2024



Why do I need to thicken my drinks?

You have been advised to thicken your drinks by a Speech & Language Therapist. This is because your swallow is not working properly (dysphagia) and there is a risk that normal thin drinks will go the wrong way into your lungs instead of your stomach (aspiration). This could cause you to develop chest infections or pneumonia.

Thickened fluids move more slowly in your mouth and throat and are easier to control, therefore reducing the risk of drinks going the “wrong way”.

The thickness of drinks you need depends on your specific swallowing difficulty. You have been advised to thicken your drinks to the following consistency:

Consistency Level 1 Slightly thick

Description

- Slightly thicker than water
- Requires a little more effort to drink than thin fluid
- Can use a straw to drink

How do I thicken my drinks?

Drinks are thickened by adding thickening powder (e.g. “Resource Thicken-Up Clear”). The amount of thickener required will depend on the consistency you have been recommended. Each tin of thickener will have a scoop inside and the number of scoops required for each thickness level on the back of the tin. For your safety and wellbeing, it is important to add the correct amount of fluid to the correct number of scoops to achieve the right consistency.

You should thicken ALL drinks and fluids, including sauces, soups, and gravy. You can use either the thickening powder or cornflour to thicken your sauces, soups, and gravy.

Using “Resource Thicken-Up Clear”

1. Powder First: use the scoop included in the tin. For best results, add the powder to a clean and dry cup or glass.
2. Add Liquid: measure the correct amount in a jug, then pour on top of the powder.
3. Stir: Start stirring immediately until the powder is completely dissolved.
4. Serve: Leave to stand for one minute before serving.

“Resource Thicken-Up Clear Dosage Chart” Level 1 Fluids				
Amount of liquid	200ml	600ml	1000ml	2000ml
Scoops required	1	3	5	10

Where do I get thickening powder from?

You will be given some thickener to take home from hospital with you. Further tins of thickener will then be available on repeat prescription from your GP. Please contact your GP if you have any problems obtaining your thickener.

What about cleaning my teeth?

It is important to brush your teeth, tongue, and gums at least twice a day, especially after meals. Bacteria from the mouth can lead to chest infections if it goes down the “wrong way”. Put a pea-sized amount of toothpaste onto a toothbrush and brush your teeth in the normal way. There is no need to rinse; remove any toothpaste residue with the toothbrush.

What about my medication?

If you have been advised to thicken your drinks, this also applies to any fluids you use to take your tablets. Some medications are available in syrup form or may dissolve in water which should then be thickened. You may prefer to take your tablets with a teaspoon of smooth food (e.g. yogurt) to make them easier to swallow.

It is essential that you speak to your GP or Pharmacist before changing the way you take your medication, or if you are struggling with swallowing tablets.

Comments, Compliments or Complaints

The Patient Relations/Patient Advice and Liaison Service (PALS) Department provides confidential on the spot advice, information and support to patients, relatives, friends, and carers.

Contact Us

Tel: 01942 822376 (Monday to Friday 9am until 4pm)

The Patient Relations/PALS Manager
Wrightington, Wigan and Leigh Teaching Hospitals NHS Foundation Trust
Royal Albert Edward Infirmary
Wigan Lane
Wigan
WN1 2NN

Ask 3 Questions

Become more involved in decisions about your healthcare. You may be asked to make choices about your treatment. To begin with, try to make sure you get the answers to three key questions:

1. What are my options?
2. What are the positives and negatives of each option for me?
3. How do I get support to help me make a decision that is right for me?



How We Use Your Information

For details on how we collect, use, and store the information we hold about you, please see patient information leaflet, Ref. **Corp 006** How we use your information, this can be found on the Patient Information Leaflets page on the Trust website, see details on the front cover.

This leaflet is also available in audio, large print, Braille, and other languages upon request.

For more information, please ask in the department/ward.

© Wrightington, Wigan and Leigh Teaching Hospitals NHS Foundation Trust.
All rights reserved. Not to be reproduced in whole or in part without the permission of the copyright owner.

Call 111 first when it's less urgent than 999.



EMPLOYER RECOGNITION SCHEME

GOLD AWARD 2021

Proudly serving those who serve.

Phone: 0808 802 1212

Text: 81212

www.veteransgateway.org.uk

